

09/972812

CJC

September 6, 2005

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Atty Docket No.: CMS-012

Attn: Certificate of Corrections Branch

Certificate
SEP 15 2005
of Correction

Re: ^{B2} U.S. Patent No. 6,814,698 ~~+~~ Issued November 9, 2004 for
Endoscope with Flexible Light Guide Having Offset Distal End
Formerly U.S. Serial No. 09/972,812; Filed October 5, 2001

Sir:


In accordance with 37 C.F.R. 1.322, approval of the attached Certificate of Correction relating to the above-identified patent is requested.

Since the mistakes were printing errors on the part of the Patent and Trademark Office, Applicant requests that the attached Certificate of Correction be approved without payment of any additional fee. The proposed Certificate is submitted in duplicate.

Respectfully submitted,

September 6, 2005


By


Arne M. Olson (Reg. No. 30,203)

OLSON & HIERL, LTD.
20 N. Wacker Drive - 36th Floor
Chicago, IL 60606
(312) 580-1180
Attorneys for Applicant

CERTIFICATE OF MAILING

I hereby certify that this paper and the attachments are being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Hon. Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria, VA 22313-1450, Attn: Certificate of Correction Branch on this 6th day of September, 2005.


Arne M. Olson

SEP 15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1PATENT NO. : 6,814,698 *B2*

APPLICATION NO.: 09/972,812

ISSUE DATE : November 9, 2004

INVENTOR(S) : Thomas Clement Barthel, Scott Allen Sundet, Craig Louis Riedl and Dinh Thuc Ha

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, line 6 (second line of Claim 14) delete "11 degrees" and insert —30 degrees—.

Column 4, line 40, delete "end 36" and insert —end 38—.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

OLSON & HIERL, LTD.
20 N. WACKER DRIVE - 36TH FLOOR
CHICAGO, ILLINOIS 60606

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1PATENT NO. : 6,814,698 B2

APPLICATION NO.: 09/972,812

ISSUE DATE : November 9, 2004

INVENTOR(S) : Thomas Clement Barthel, Scott Allen Sundet, Craig Louis Riedl and Dinh Thuc Ha

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, line 6 (second line of Claim 14) delete "11 degrees" and insert -30 degrees-.

Column 4, line 40, delete "end 36" and insert -end 38-.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

OLSON & HIERL, LTD.
20 N. WACKER DRIVE - 36TH FLOOR
CHICAGO, ILLINOIS 60606

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 15 2005

OLSON & HIERL, LTD.

20 NORTH WACKER DRIVE

36TH FLOOR

CHICAGO, ILLINOIS 60606



Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attn: Certificate of Corrections Branch

22313+1450-S0 B093

